

Thermowell for screw-in or weld-in (fabricated) Models SWT52G, SWT52S, SWT71G, SWT71S

WIKA data sheet TW 90.11

Applications

- Wide range of applications in vessel, tubing and apparatus construction, machine building and industrial heating
- For use with models 52 and 73 mechanical thermometers

Special features

- Cost-effective design
- Quick adjustability and replaceability of thermometers



Fig. left: Thermowell with thread

Fig. right: Thermowell with weld cones

Description

Each thermowell is an important component of any temperature measurement point. It is used to separate the process from the surrounding area, thus protecting the environment and operating personnel and keeps aggressive media, high pressures and flow rates from the temperature sensor itself and thereby enables the thermometer to be exchanged during operation.

Based on the almost limitless application possibilities, there are a large number of variants, such as thermowell designs or materials. The type of process connection and the basic method of manufacture are important design differentiation criteria. A basic differentiation can be made between threaded and weld-in thermowells, and those with flange connections.

Furthermore, one can differentiate between fabricated and solid-machined thermowells. Fabricated thermowells are constructed from a tube, that is closed at the tip by a welded solid tip. Solid-machined thermowells are manufactured from barstock.

The SWTxx series of fabricated ¹⁾ screw-in or weld-in thermowells are specifically adapted for use with the models 52 and 73 mechanical thermometers.

Due to the cost-effective design and fast adjustment and exchange of the thermometer, these are the thermowells of choice for use in machine building and heating technology.

1) For short insertion lengths (copper alloy) solid-machined version optionally

Standard version

Thermowell material process connection

Copper alloy, St35²⁾ or stainless steel

Process connection

Models SWT52G, SWT71G: G 1/2 B thread

Models SWT52S, SWT71S: weld cones

Connection to thermometer

Suitable for thermometers with smooth connection (without threads), collar \varnothing 18 mm;

Fixing via M4 retaining screw

Bore size

Suitable for 8 mm insertion diameter (model 52 thermometer) or 13 mm (model 73 thermometer)

Max. process temperature, process pressure

160 °C with copper alloy as thermowell material (6 bar stat.)

500 °C with St35, stainless steel as thermowell material (25 bar stat.)

Depending on


- Thermowell design
 - Dimensions
 - Material
- Process conditions
 - Flow rate
 - Density of medium

2) Thermowell stem material: stainless steel

Insertion length

Suitable for the various standard insertion lengths, l_1 , of models 52 and 73 thermometers

Dimensions in mm



Threaded process connection


(Copper alloy, St35 or stainless steel)

Thermometer	Dimensions in mm				
	l_1	E	SW	$\varnothing F_1$	$\varnothing D_1$
Model 52	45	G 1/2 B	27	10	26
	63	G 1/2 B	27	10	26
	100	G 1/2 B	27	10	26
	160	G 1/2 B	27	10	26
	200	G 1/2 B	27	10	26
Model 73	63	G 1/2 B	27	16	26
	100	G 1/2 B	27	16	26
	160	G 1/2 B	27	16	26
	200	G 1/2 B	27	16	26

Weld cone process connection

(St35 or stainless steel)

Thermometer	Dimensions in mm		
	l_2	$\varnothing d_5$	$\varnothing F_1$
Model 52	43	24	10
	80	24	10
	140	24	10
	180	24	10
Model 73	43	24	16
	80	24	16
	140	24	16
	180	24	16



Suitable for insertion lengths of models 52 and 73 thermometers

Process connection	Insertion length, l_1 , of the thermometer
Thread	l_1 = insertion length, l_1 , of the thermowell
Weld cones	l_1 = insertion length, l_2 , of the thermowell + 20 mm

Ordering information

Model / Material / Process connection / Insertion length / Options

© 2005 WIKA Alexander Wiegand SE & Co. KG, all rights reserved.
The specifications given in this document represent the state of engineering at the time of publishing.
We reserve the right to make modifications to the specifications and materials.

